

## 67729

### Glass Object with basalt clasts

73.2 grams



Figure 1: Photo of 67729 before processing. Sample is 4 cm. S72- 43441 Top




Figure 2: Photo of bottom of 67729 before processing. Line shows approximate first break. S72-43442





Figure 3: Map of North Ray Crater showing location of rake sample.

### Introduction

67729 was collected as a rake sample from the rim of North Ray Crater – see section on 67701. It is a vesicular glass breccia with significant clasts, and has the appearance of a “glass bomb”. It has zap pits on all sides. 67729 and its clast assemblage has not been studied. It contains a basalt clast.

### Petrography

Borchardt et al. (1986) studied the “glass bombs” found in and around North Ray Crater, but they seem to have overlooked this rather good example. 67729 is like an envelope of rock clasts, wrapped in glass. If it were to be a “bomb”, it could have been delivered from afar.



*Figure 4: Photo of 67729. Cube is 1 cm. S80-28170*



*Figure 5: Photo of main mass of 67729 showing green clast ,9. S80-28171*

Most glass in 67729 is devitrified, with abundant plagioclase microlites. The glass exhibits flow-banding.

67729 contains about 10 lithic clasts – they have not been studied.






Figure 6: Processing photo of 67729. A and B are both part of ,0. Part B has yet another white clast. S80-28169. Cm cube at top for scale.

### Significant clasts

#### White Clast ,4 ,14TS

This clast is chalky white and about 2 cm in dimension (figure 2 and 4). It has subophitic to granular texture with large plagioclase and about 30% yellow mafic mineral (figure 8)(Ryder and Norman 1980). Most of it remains on ,0.

#### Green Basalt Clast ,9 ,15TS

Most of this clast also remains on the parent ,0, but a number of pieces (,9 ,10 figure 6) were extracted. Thin section ,15 shows an ophitic basalt with a well-developed plagioclase network enclosed by olivines up to 3 mm in diameter (figures 9 and 11).






Figure 7: Processing photo circa 1996, when additional chipping occurred. Clasts not identified. Cube is still 1 cm. S96-01614



Figure 8: Thin section 67729,14 (crossed polarizers).



Figure 9: Thin section 67729,15 (basalt clast).

### **Long Clast, 6 - ,7 no section**

This clast may be same material as ,9.

### **Off-white clast (on B).**

This white clast has vague outline, and would appear to be a cataclastic anorthosite. It has not been sectioned.


### **Chemistry**

none


### **Processing**

First, during initial handling, a large piece (B) containing a white area broke off and a thin section ,1 was made (figure 2). It is still considered part of ,0. In 1980, the obvious clasts were sampled to make thin sections (figure 6). In 1996, additional chips were made to yield a glass sample (,19)(figure 7) and more white clasts were exposed. The remainder of each clast still resides on A or B.






*Figure 10: Photomicrographs of 67729,16. 2 mm across*





*Figure 11: Photomicrographs  
of thin section 67729,15 by C  
Meyer. 2 mm across*



## References for 67729

Borchardt R., Stoffler D., Spettel B., Palme H., Wanke H., Wacker K. and Jessberger E.K. (1986) Composition, structure and age of the Apollo 16 subregolith basement as deduced from the chemistry of post-Imbrium melt bombs. *Proc. 17<sup>th</sup> Lunar Planet. Sci. Conf.* in J. Geophys. Res. **90**, E43-E54.

Butler P. (1972a) Lunar Sample Information Catalog Apollo 16. Lunar Receiving Laboratory. MSC 03210 Curator's Catalog. pp. 370.

Hunter R.H. and Taylor L.A. (1981) Rust and schreibersite in Apollo 16 highland rocks: Manifestations of volatile-element mobility. *Proc. 12<sup>th</sup> Lunar Planet. Sci. Conf.* 253-259.

LSPET (1973b) The Apollo 16 lunar samples: Petrographic and chemical description. *Science* **179**, 23-34.

LSPET (1972c) Preliminary examination of lunar samples. In Apollo 16 Preliminary Science Report. NASA SP-315, 7-1—7-58.

Ryder G. and Norman M.D. (1980) Catalog of Apollo 16 rocks (3 vol.). Curator's Office pub. #52, JSC #16904

Stöffler D., Ostertag R., Reimold W.U., Borchardt R., Malley J. and Rehfeldt A. (1981) Distribution and provenance of lunar highland rock types at North Ray Crater, Apollo 16. *Proc. 12<sup>th</sup> Lunar Planet. Sci. Conf.* 185-207.

Stöffler D., Bischoff A., Borchardt R., Burgele A., Deutsch A., Jessberger E.K., Ostertag R., Palme H., Spettel B., Reimold W.U., Wacker K. and Wanke H. (1985) Composition and evolution of the lunar crust in the Descartes highlands. *Proc. 15<sup>th</sup> Lunar Planet. Sci. Conf.* in J. Geophys. Res. **90**, C449-C506.

Smith J.V. and Steele I.M. (1972c) Apollo 16 rake samples 67515 to 68537: Sample classification, description and inventory. Curator Catalog, JSC

Sutton R.L. (1981) Documentation of Apollo 16 samples. In Geology of the Apollo 16 area, central lunar highlands. (Ulrich et al. ) U.S.G.S. Prof. Paper 1048.